

94-03-20



## Field

The invention provides a new distinct somaclone of rose scented geranium *P. graveolens* christened as "Parimal" characterized by distinct morphology and improved oil yield determining parameters. The said novel somaclone has been developed from callus through *in vitro* tissue culture technique. The plant possesses characteristic leaf morphology, vigorous growth, improved oil content per plant, herb yield and oil yield. The oil produced by this somaclone resembles the oil produced by the commercial type of bourbon geranium oil in that has equivalent ratio of citronellol and geraniol.

## Background of the Invention

The present invention relates to a new and distinct somaclone of rose scented geranium *Pelargonium graveolens*, a member of the family Geraniaceae, which is a stable somaclone of the Indian cultivar Hemanti. The oil of geranium finds extensive use in perfumery, cosmetics, food and pharmaceutical industries (Narayana, 1986). Geranium was introduced in India in the beginning of this century and since then its cultivation and production of oil remained restricted to the high altitude regions of Ootacamund, Kodaikanal and Yercaud areas in South India (Narayana, 1986). India produces hardly 5 tonnes of geranium oil annually as against its own requirement of approximate 100 tonnes per year (Narayana 1986). The production of oil has declined gradually over the years and much of the requirement is met by imports. This may be due to narrow genetic base, resulting partially from sexual infertility, vegetative mode of propagation and restricted area of cultivation.

In India, two cultivars of geranium are mainly known; these are the types that produce Algerian or Tunisian quality and the Bourbon or the Reunion quality of geranium oils; these are given the names *Pelargonium x graveolens* cv Hemanti and *Pelargonium x graveolens* cv Bipuli, respectively. The cultivar Hemanti was found to be more adaptive than the cultivar Bipuli both in the hilly regions as well as in the unconventional areas of the plains. On the other hand, the cultivar Bipuli scored better than the Hemanti mainly because of its better oil yield and improved organoleptic value of the oil. The perfumery value of geranium oil is mainly determined by the ratio of citronellol and geraniol and almost equal contents of these two major terpenoid components is generally considered to be the characteristic of the best quality geranium oil.

In an attempt to extend the area of cultivation of geranium to the Indo-gangetic plains, the better adaptive Hemanti cultivar was introduced in the Lucknow conditions in India. Subsequently, efforts were made through different biotechnological methods to develop clones with high content and desirable composition of the oil. The calliclone "Parimal" evolved through this invention represents improvement over the wild type Hemanti parental cultivar both in terms of quality and quantity determining traits of the essential oil. This particular somaclone, being consistently stable over three years of field trials under Lucknow conditions, can offer an improved cultivar for commercial exploitation.

### **Objects of the invention**

The main objective of the invention is to develop useful somaclonal variants of rose scented geranium christened as "Parimal" which are distinct, stable and uniform through successive generations.

Another object is to develop somaclonal variants yielding high quality and quantity of essential oil.

### **Summary of the invention:**

Accordingly the present invention provides a novel variety of rose scented geranium called "Parimal", said plant developed through *in vitro* tissue culture methods from callus cultures. The invention further provides a useful somaclonal variant "Parimal" of rose scented geranium (*Pelargonium graveolens* cv. Hemanti) yielding high quality and quantity of essential oil.

### **Detailed description:**

In accordance with the above and other objects, the invention provides a novel somaclone of rose scented geranium called "Parimal". The said plant has been developed through *in vitro* tissue culture methods from callus cultures initiated from stem explants and cultured on modified Murashige and Skoog's medium (MS), 1962.

The invention further provides a useful somaclonal variant "Parimal" of rose scented geranium (*Pelargonium graveolens* cv. Hemanti) having the following morphological characteristics.

Plant height	85-95 cm
Growth habit	spreading, round canopy
Stem	green, internodes 8-9 cms long, nodes pinkish
Branches	91-101
Leaf	
number per branch	10-25
texture	pubescent
shape	thick, serrated with round lobes
number of primary lobes	3
secondary lobes	12-15
Tip	Blunt
Leaf area	20-28 cm <sup>2</sup>
Petiole	~8 cm (pinkish)
Morphological marker	Less dentated leaf morphotype (Ldl)
Leaf / stem ratio (L/S)	2.1
Herb yield/ plant	4.5 kgs.
% oil content	0.18 (mean)
Oil yield /plant	7.1 gms. (mean)
Oil yield (kg/ha)	71.1 (mean)

This invention further provides the useful somaclonal variant "Parimal" of rose scented geranium (*P. graveolens* cv. Hemanti) having the following essential oil quality determining characteristics. The average and mean percentage of the respective constituents of the essential oil are provided hereinbelow:

Essential oil constituents	Percentage (%)
Linalool	9.1
Cis + Trans rose oxide	0.60
Menthone	0.2
Isomenthone	7.8
Citronellol	27.6
Geraniol	22.6
Citronellyl formate	5.9

Geranyl formate	2.1
Citronellyl acetate	0.2
$\beta$ -caryophyllene	0.2
6,9 guaiadiene	0.6
citronellyl butyrate	1.0
10 Epi- $\gamma$ -eudesmo	7.3
Citronellyl tiglate	0.8

This invention further provides the said somaclone "Parimal" which exhibited uniqueness with respect to the following RAPD primers: MAP-05, MAP-12, MAP-15 and MAP-16.

The methods and examples for the development of the said novel plant "Parimal" are provided herein below, for illustration of the invention and should not be construed as limitations on the concept of the invention. Modifications that may be apparent to those skilled in the art are deemed to fall within the scope of the present invention.

#### **Brief description of the accompanying drawings:**

The invention is further illustrated with reference to the following drawings wherein:

**Figure 1:** Field grown plant of somaclone "Parimal" having large round canopy and profuse branching.

**Figure 2:** Field grown plant of wild type parent spreading prostrate canopy and comparatively less branching.

**Figure 3:** Leaves of somaclone "Parimal" and wild type showing comparatively less dentation in the leaf of the former than that in the latter.

**Figure 4(a-d):** Variation in the RAPD profiles of wild type parent (C) with that of the selected somaclone "Parimal" (marked with (→)arrow); a: primer MAP-5; b: primer MAP-12; c: primer MAP-15; d: primer MAP-16.

#### **Methods for development of the novel somaclonal variant "Parimal":**

Healthy robust shoots, raised by subculturing the organogenic calli on modified MS medium with concentrations of BAP and NAA, were transferred to half strength MS medium with a concentration of indole butyric acid (IBA) for rhizogenesis. The stem explants were cultured on

modified Murashige and Skoog's medium (MS), 1962 containing the following (in mg/L)-  
NH<sub>4</sub>NO<sub>3</sub> (1650), KNO<sub>3</sub> (1900), CaCl<sub>2</sub>.2H<sub>2</sub>O (400), MgSO<sub>4</sub>.7H<sub>2</sub>O (370), KH<sub>2</sub>PO<sub>4</sub> (170),  
Na<sub>2</sub>EDTA.2H<sub>2</sub>O (7.2), FeSO<sub>4</sub>.7H<sub>2</sub>O (27.8), MnSO<sub>4</sub>.4H<sub>2</sub>O (22.3), ZnSO<sub>4</sub>.7H<sub>2</sub>O (8.6), H<sub>3</sub>BO<sub>3</sub>  
(6.2), KI (0.83), Na<sub>2</sub>MoO<sub>4</sub>.2H<sub>2</sub>O (0.25), CuSO<sub>4</sub>.5H<sub>2</sub>O (0.025), CoCl<sub>2</sub>.6H<sub>2</sub>O (0.025), Glycine  
(2.0), Nicotinic acid (0.5), Pyridoxine HCl (0.5) and Thiamine HCl (0.1) with proportion of  
naphthelene acetic acid (NAA) and Kinetin (Kn)[2:1]. The best organogenesis (85%) could be  
achieved by substituting Kinetin with 6-Benzylaminopurine (BAP).

The rooted plants were initially hardened under glass house conditions and were subsequently transferred to the field in the month of October 1996, in replicated trials. Based on the superior performance for vigorous growth resulting from extensive branching and enlarged canopy size, comparatively better oil yield over that of the control wild type cultivar and distinctively improved oil quality in terms of the major terpenoid constituents, the plant of this invention (Somaclone "Parimal") was selected for further observation and evaluations. During the monsoon seasons of 1996-97, this selected somaclone along with control parent were maintained under glass-house conditions through stem-cuttings which also maintained clonal purity. The selected clone "Parimal" was grown in field in replicated trials along with its parent Hemanti cultivar for two consecutive winter-summer seasons of 1997-98 and 1998-99, while during the intermediate monsoon season, they were maintained under glass-house conditions. The clone "Parimal" maintained its vigorous growth through extensive branching, better oil content and improved oil quality over the three consecutive years. The characteristics of this particular clone (in terms essential oil quantity and quality determining traits) in relation to that of the control parent and other clones have been represented in Tables-2 and 3. The results clearly demonstrate the outstanding performance of clone "Parimal" over that of the control wild type parent and other selected clones under Lucknow field conditions, indicating the feasibility of its commercial cultivation in the indo-gangetic plains. It is pertinent to mention here that the oil profile of somaclone "Parimal" is superior than that of the wild type parent in having equal content of citronellol and geraniol which is a critical characteristic of best quality commercial geranium oil. The field grown plant of "Parimal" having large round canopy is shown in Fig.1 and Fig.2 depicts the wild type parent. The leaves of "Parimal" are as shown in Fig.3.

## Evidences of uniformity and stability

The somaclone "Parimal" has remained stable and uniform for its morphological characters and showed consistency in performance for various oil yield and quality determining attributes during its field evaluation under Lucknow conditions over three consecutive years of 1996-97, 1997-98 and 1998-99 are depicted in (Tables 1-3).

### Morphological description of the somaclone "Parimal" and its wild type parent

- 1) Genus - *Pelargonium*
- 2) Species - *graveolens*
- 3) Family - Geraniaceae
- 4) Common name - rose-scented geranium

**Table 1 :** Comparative analysis of oil yield and quality determining traits in the field grown morphologically distinct somaclones, "Parimal" and wild type *Pelargonium graveolens* CV. Hemanti (control).

Somaclone designation	Morpho-types	Oil yield/plant (g)	% contents of major terpenoids in the essential oil of geranium								
			Linal-ool	Cis+trans rose oxide	Isomen-thone	Citron-ellol	Geran-iol	Citronel-lyl for-mate	Geranyl formate	6,9-guai-adiene	10-epi-□-eude-smol
A	Highly dentated leaf	4.5±0.5	1.1±0.2	1.6±0.4	9.6±1.8	49.8±1.4	2.0±0.5	13.0±0.4	0.5±0.3	1.3±0.6	2.9±0.5
B		3.3±0.7	1.1±0.2	1.3±0.3	9.0±2.5	52.6±1.9	2.3±0.6	11.7±1.3	0.3±0.15	1.3±0.4	3.0±0.7
C		8.6±3.7	0.9±0.1	1.2±0.2	10.3±1.3	51.7±1.1	1.8±0.4	11.1±0.9	0.23±0.03	1.3±0.4	2.9±0.5
D		4.6±1.2	1.0±0.3	0.9±0.3	10.6±2.1	48.6±4.5	2.3±1.1	10.2±2.7	0.6±0.45	1.2±0.4	4.4±1.4
Parimal	Less dentated leaf	11.3±2.8	9.1±1.6	0.6±0.12	7.8±0.53	27.6±2.1	22.6±3.2	5.9±0.2	2.1±0.4	0.6±0.12	7.3±0.95
L	Less dentated leaf	8.0±4.0	8.5±2.8	0.6±0.1	7.7±0.5	28.7±4.3	22.3±2.8	5.6±0.7	2.0±0.2	0.7±0.1	7.4±1.1
M		4.5±0.8	7.8±1.5	0.7±0.2	6.9±1.5	29.2±3.9	20.4±2.1	4.8±0.7	1.8±0.2	0.7±0.03	8.6±1.8
N		5.1±0.6	7.5±1.3	0.6±0.2	7.1±1.2	29.1±4.4	19.5±3.1	4.7±0.8	1.8±0.6	0.6±0.05	8.2±1.6
W (control)	Highly dentated	3.8±0.33	0.7±0.1	1.5±0.3	9.5±0.1	53.1±0.7	1.6±0.14	12.1±0.6	0.23±0.03	2.0±0.2	3.2±0.2

**Table 2 :** Morphological characteristics of somaclone "Parimal" and its wild type parent

Morphological parameters	Parimal	Wild type
Plant height	85-95 cm	35-45 cm
Growth habit	spreading, round canopy	Spreading prostrate
Stem	green, internodes 8-9 cms long, nodes pinkish	Greenish magenta purplish at the nodes, 5-10 mm in diameter, densely hairy
Branches	91-101	10-45
Leaf		
Number per branch	10-25	25-30
Texture	pubescent	pubescent
Shape	thick, serrated with round lobes	thick hairy highly serrated
Number of primary lobes		3 to 5
secondary lobes	3 12-15	15-30
Tip	Blunt	Blunt
Leaf area	20-28 cm <sup>2</sup>	30-36 cm <sup>2</sup>
Petiole	~8 cm (pinkish)	~5 cm (green)

**Table -3:** Oil yield and quality determining traits of somaclone "Parimal" and its wild type parent.

Trait	Somaclone "Parimal"	Wild type
1. Morphological marker	Less dentated leaf morphotype (Ldl)	Highly dentated leaf morphotype (Hdl)
2. Leaf / stem ratio (L/S)	2.1	1.5
3. Herb yield/ plant	4.5 kgs.	1.9 kgs
4. % oil content	0.18	0.15
5. Oil yield /plant	7.1 gms.	2.5 gms.
6. Oil yield (kg/ha)	71.1	25.1
7. Oil quality		
i) Linalool	9.1	0.7
ii) <i>Cis</i> + <i>Trans</i> rose oxide	0.60	1.5
iii) Menthone	0.2	0.3
iv) Isomenthone	7.8	9.5
v) Citronellol	27.6	53.1
vi) Geraniol	22.6	1.6
vii) Citronellyl formate	5.9	12.1
viii) Geranyl formate	2.1	0.2
ix) Citronellyl acetate	0.2	0.9
x) $\beta$ -caryophyllene	0.2	1.5
xi) 6,9 guaiaadiene	0.6	2.0
xii) citronellyl butyrate	1.0	2.2
xiii) 10 Epi- $\gamma$ -eudesmol	7.3	3.2
xiv) Citronellyl tiglate	0.8	1.6

### **Type and frequency of variants during multiplication and maintenance of the somaclone**

No variants has been recovered during multiplication, maintenance and testing of the somaclone "Parimal" in experimental plots, screened carefully in 1996-97, 1997-98 and 1998-99 winter-summer cropping seasons. The three year's observations on somaclone "Parimal" were statistically analysed for significance of differences in the morphological oil yield determining attributes and the concentrations of 9 geranium oil quality determining terpenoid constituents. The intraclonal variation in clone "Parimal" was found statistically insignificant over three year's field trial.

### **Statement of distinction**

The somaclones "Parimal" are distinct in having large round canopy, less dentated round leaf morphology, extensive branching and absence of flowering (Table 1). Its oil profile is distinct from the wild type parent cultivar in having higher proportion of geraniol and lower proportion of citronellol, lower content of cis + trans rose oxide and citronellyl formate, 6,9-guadiene, higher content of linalool, geranyl formate and 10-epi-y endesmol (Table-2). Its RAPD profile was different from the wild type parent in certain aspects while had certain features common in both.

### **Characterization through RAPD markers**

Using 13 random primers (MAP 01 to MAP 16) with following sequence description a comparison was made for somaclone "Parimal" and its wild type parent to establish the relatedness between them.

Primer	Base sequence
MAP01	GTGCAATCAG
MAP02	AGGATACGTG
MAP04	AAGATAGCGG
MAP05	GGATCTGAAC
MAP06	TTGTCTCAGG
MAP07	GTCCTACTCG
MAP09	TGCGCGATCG
MAP10	AACGTACGCG
MAP11	GCACGCCGGA

Primer	Base sequence
MAP12	CACCCTGCGC
MAP14	GGACTCCACG
MAP15	AAGATAGCGG
MAP16	CTATCGCCGC

This analysis could narrow down with usage of six MAP primers (MAP 04, MAP 05, MAP 10, MAP 14, MAP 15, MAP 16) which in turn were utilized for genotypic pair analysis in order to assess genetic / molecular distances. The following table 4 gives the similarity index between the two genotypes in paired test.

Table 4 : Similarity percentage for amplified bands (paired analysis) of somaclone "Parimal" and wild type parent

Primer	Genotypic pair (somaclone "Parimal"/ wild type)
MAP 04	93
MAP 05	80
MAP 10	60
MAP 14	90
MAP 15	83
MAP 16	66

It is evident from similarity indices (paired test) that somaclone "Parimal" and wild type parent are genetically distinguishable (Table 4). Further, the primer MAP 10, MAP 14 showed least similarity while primers MAP 04 and MAP15 showed close relatedness. The primers MAP05 and MAP16 showed intermediate degree of similarity. These observations on percent similarity confirm the relatedness of somaclone "Parimal" with the wild type parent, at the same time highlight the distinctness of the former at the genetic level. The complete RAPD profile for PCR amplified DNA segments using 12 primers is available providing evidence of distinctiveness of the clone with respect to the control parent as shown in Figure 4.

### **Advantages:**

1. "Parimal" is well adaptive to the unconventional area of cultivation i.e. northern Indian plains.
2. "Parimal" represents improvement over its wild type parental cv. "Hemanti" with respect to the following quantitative traits:
  - (a) Larger and denser canopy;
  - (b) Greater herb yield;
  - (c) Higher leaf : stem ratio;
  - (d) Higher oil content; and
  - (e) Much higher oil yield (both on per plant and per hectare basis).
3. "Parimal" represent improvement over its wild type parental cv. "Hemanti" with respect to following major essential oil quality determining traits:
  - (a) About equal citronellol:geraniol ratio;
  - (b) Higher rhodinol content;
  - (c) Higher linalool concentration;
  - (d) Lower concentration of 6,9-guaiadiene.
4. The somaclone "Parimal" showed consistency in performance for all the above mentioned oil yield and quality determining attributes during its field evaluation under Lucknow conditions over three consecutive years.
5. "Parimal" showed distinctiveness even at genetic level with respect to RAPD primers, MAP-05, MAP-12, MAP-15 and MAP-16.

# Claims :

- 1) A new and distinct somaclonal variety of rose scented geranium "Parimal" having the following characteristics:
  - (a) The variety being a somaclonal variant of *Pelargonium graveolens* cv. Hemanti raised through in vitro regeneration of callus cultures,
  - (b) Said variety having less dentated leaf phenotype with a huge round canopy and extensive branching behavior
  - (c) said variety having inherited oil quality with nearly equal content of citronellol and geraniol which is commercially superior than the parent
  - (d) Having higher oil yielding ability owing to its higher herb yield than the parent cultivar Hemanti
  - (e) Said variety exhibiting the following characteristics:

Serial no.	Morphological parameters	Parimal
1	Plant height	85-95 cm
2	Growth habit	spreading, round canopy
3	Stem	green, internodes 8-9 cms long, nodes pinkish
4	Branches	91-101
5	Leaf	
	number per branch	10-25
	texture	pubescent
	shape	thick, serrated with round lobes
	number of primary lobes	3
	secondary lobes	12-15
	Tip	Blunt

	Leaf area	20-28 cm <sup>2</sup>
	Petiole	~8 cm (pinkish)
6	Morphological marker	Less dentated leaf morphotype (Ldl)
7	Leaf / stem ratio (L/S)	2.1
8	Herb yield/ plant	4.5 kgs.
9	% oil content	0.18
10	Oil yield /plant	7.1 gms.
11	Oil yield (kg/ha)	71.1

f) yielding essential oil comprising

Essential constituents	Percentage (%)
Linalool	9.1
<i>Cis + Trans</i> rose oxide	0.60
Menthone	0.2
Isomenthone	7.8
Citronellol	27.6
Geraniol	22.6
Citronellyl formate	5.9
Geranyl formate	2.1
Citronellyl acetate	0.2
$\beta$ -caryophyllene	0.2
6,9 guaiadiene	0.6
citronellyl butyrate	1.0
10 Epi- $\gamma$ -eudesmol	7.3
Citronellyl tiglate	0.8

g) exhibiting uniqueness with respect to the following RAPD primers:  
MAP-05, MAP-12, MAP-15 and MAP-16.

100

—





Figure 3



Figure 4(a)




Figure 4(b)




Figure 4(c)



Figure 4 (d)



04-03-00

A/plant

03/30/00

JC777 U.S. PTO

Type a plus sign (+) inside this box → ☐

PTO/SB/03 (12-97)  
Approved for use through 9/30/00. OMB 0651-0032  
Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

<b>PLANT PATENT APPLICATION (35 U.S.C. 161) DECLARATION (37 CFR 1.63)</b>	Attorney Docket Number	204,482
	First Named Inventor	Gauri SAXENA
	<b>COMPLETE IF KNOWN</b>	
	Application Number	/
	Filing Date	March 30, 2000
	Group Art Unit	
<input type="checkbox"/> Declaration Submitted with Initial Filing <input type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)	Examiner Name	

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the new and distinct variety of:

A NEW AND DISTINCT SOMACLONAL VARIETY OF ROSE SCENTED GERANIUM

plant named: "PARIMAL"

which is claimed and for which a plant patent is sought, the specification of which

☒ is attached hereto **OR** ☐ was filed on (MM/DD/YYYY) as United States

Application Number and was amended on (MM/DD/YYYY) (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claim, as amended by any amendment specifically referred to above.

I have asexually reproduced the plant to which this application applies.

☐ Said plant was found in a cultivated area (check this box for newly found plant only)

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Check Only If Priority Not Claimed	Certified Copy Attached? YES	NO
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C.119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	
		<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Type a plus sign (+) inside this box →



PTO/SB/03 (12-97)  
Approved for use through 9/30/00 OMB 0651-0032  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

## DECLARATION – Plant Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

☐ Customer Number

OR

☒ Registered practitioner(s) name/registration number listed below

Place Customer  
Number Bar Code  
Label here

Jeffrey A. Schwab, Registration Number 24,490

Stewart J. Fried, Registration Number 20,694

Jay S. Cinamon, Registration Number 24,156

Michael I. Markowitz, Registration Number 30,659

Thomas E. Spath, Registration Number 25,928

Howard R. Jaeger, Registration Number 31,376

Anthony Coppola, Registration Number 41,493

*Jay S. Cinamon 24,156*

Send Correspondence To

Abelman, Frayne & Schwab

150 East 42nd Street

New York, New York 10017-5612

Direct Telephone Calls To

Jeffrey A. Schwab, Stewart J. Fried Jay S. Cinamon,

Michael I. Markowitz, Thomas E. Spath,

or Anthony Coppola at (212) 949-9022

Direct all correspondence to: ☐ Customer Number or Bar Code Label ☐ OR ☐ Correspondence address below

Name	ABELMAN FRAYNE & SCHWAB Attorneys at Law				
Address	150 East 42nd Street New York, NY 10017				
City		State		ZIP	
Country	U.S.A.	Telephone	(212) 949-9022	Fax	(212) 949-9190

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.


Name of Sole or First Inventor:		<input type="checkbox"/> A petition has been filed for this unsigned inventor	
Given Name (first and middle [if any])		Family Name or Surname	
Gauri		SAXENA	
Inventor's Signature		Date	
Residence: City	Lucknow-226 015	State	Country India
Post Office Address	CENTRAL INSTITUTE OF MEDICINAL AND AROMATIC PLANTS, P.O. CIMAP, LUCKNOW-226 015, U.P., India		
Post Office Address			
City	Lucknow	State	ZIP 226 015 U.P. Country India

☒ Additional inventors are being named on the 1 supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto.

(6) DETAILS  
REQUIRED  
FOR EACH  
INVENTOR

Full Name of <b>Second inventor</b> <b>Suchitra</b>	Inventor's Signature <b>BANERJEE</b>	Date
Residence <b>CENTRAL INSTITUTE OF MEDICINAL AND AROMATIC PLANTS, P.O. CIMAP, Lucknow-226 015, U.P., India</b>		Citizenship <b>Indian</b>
Post Office Address <b>same as above</b>		
Full Name of <b>Third inventor</b> <b>Laiq ur RAHMAN</b>	Inventor's Signature	Date
Residence <b>CENTRAL INSTITUTE OF MEDICINAL AND AROMATIC PLANTS, P.O. CIMAP, Lucknow-226 015, U.P., India</b>		Citizenship <b>Indian</b>
Post Office Address <b>Same as above</b>		
Full Name of <b>Fourth inventor</b> <b>Gopal Rao MALLAVARAPU</b>	Inventor's Signature	Date
Residence <b>CENTRAL INSTITUTE OF MEDICINAL AND AROMATIC PLANTS, P.O. CIMAP, Lucknow-226 015, U.P., India</b>		Citizenship <b>Indian</b>
Post Office Address <b>same as above</b>		
Full Name of <b>Fifth inventor</b> <b>Srikant SHARMA</b>	Inventor's Signature	Date
Residence <b>CENTRAL INSTITUTE OF MEDICINAL AND AROMATIC PLANTS, P.O. CIMAP, Lucknow-226 015, U.P., India</b>		Citizenship <b>Indian</b>
Post Office Address <b>same as above</b>		
Full Name of <b>Sixth inventor</b> <b>Suman Preet Singh KHANUJA</b>	Inventor's Signature	Date
Residence <b>CENTRAL INSTITUTE OF MEDICINAL AND AROMATIC PLANTS, P.O. CIMAP, Lucknow-226 015, U.P., India</b>		Citizenship <b>Indian</b>
Post Office Address <b>same as above</b>		
Full Name of <b>Seventh inventor</b> <b>Sushil KUMAR</b>	Inventor's Signature	Date
Residence <b>CENTRAL INSTITUTE OF MEDICINAL AND AROMATIC PLANTS, P.O. CIMAP, Lucknow-226 015, U.P., India</b>		Citizenship <b>Indian</b>
Post Office Address <b>same as above</b>		

United States Patent & Trademark Office  
Office of Initial Patent Examination -- Scanning Division



Application deficiencies were found during scanning:

☐ Page(s) \_\_\_\_\_ of Transmittal were not present  
for scanning. (Document title)

☐ Page(s) \_\_\_\_\_ of \_\_\_\_\_ were not present  
for scanning. (Document title)

☐ Scanned copy is best available.